

**20** YEARS OF  
INNOVATION & GROWTH

AN ISO 9001:14001 CERTIFIED CO.



**A BETTER TOMORROW** *BEGINS WITH*  
**INNOVATIVE**  
**TODAY!**



INTERNATIONALLY APPROVED



**PRODUCT & PRICING GUIDE**  
**LP 102 : 28th Jan, 2026**

AN ISO 9001:14001 CERTIFIED CO.



**SAFETY** *that*  
**SHIELDS**  
*Millions of Homes!*



INTERNATIONALLY APPROVED



[www.kraftcable.com](http://www.kraftcable.com)

**FR - MULTI STRAND**



House-Gard-Flame Retardant (FR)

**HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS**



90 Mts

Product Code	Number / Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs	Std. Pkg.
KWC-1	24/0.2	0.75	2205.00	20
KWC-2	14/0.3	1.0	2412.00	20
KWC-3	22/0.3	1.5	3852.00	16
KWC-4	36/0.3	2.5	6120.00	10
KWC-5	56/0.3	4.0	9216.00	8

Packing: Supplied in Attractive Box Packaging, Securely Packed in a Master Carton.

KWC-6	84/0.3	6.0	14283.00	6
KWC-7	80/0.40	10.0	25236.00	4
KWC-8	126/0.40	16.0	38430.00	2
KWC-9	196/0.40	25.0	65043.00	1
KWC-10	276/0.40	35.0	93825.00	1
KWC-11	396/0.40	50.0	133263.00	1

Packing: Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing.



45 Meters

**HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS**



45 Mts

KWC-12	14/0.3	1.0	1206.00	40
KWC-13	22/0.3	1.5	1926.00	32
KWC-14	36/0.3	2.5	3060.00	20
KWC-15	56/0.3	4.0	4608.00	16

Packing: Supplied in Attractive Box Packaging, Securely Packed in a Master Carton.



Available in : 180 mtrs. (Double coil) & 270 mtrs. (Triple coil)  
 Special project packaging on requirement.

**HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS**



180 Mts

KWC-16	14/0.3	1.0	4824.00	10
KWC-17	22/0.3	1.5	7704.00	8
KWC-18	36/0.3	2.5	12240.00	5
KWC-19	56/0.3	4.0	18432.00	4

Packing: Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing. **450 mtrs**

KWC-20	14/0.3	1.0	12060.00	4
KWC-21	22/0.3	1.5	19260.00	4
KWC-22	36/0.3	2.5	30600.00	2
KWC-23	56/0.3	4.0	46080.00	2

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.

**FRLSH - MULTI STRAND**



**FR-LSH**-Flame Retardant Low Smoke and Halogen PVC Insulated Industrial Cable

**SECURE-GARD-FR-LSH MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS**



90 Mts

KWC-24	14/0.3	1.0	2664.00	20
KWC-25	22/0.3	1.5	4518.00	16
KWC-26	36/0.3	2.5	7128.00	10
KWC-27	56/0.3	4.0	10845.00	8
KWC-27B	84/0.3	6.0	17730.00	6

Packing: Supplied in Attractive Box Packaging, Securely Packed in a Master Carton.

KWC-24A	14/0.3	1.0	5355.00	16
KWC-25A	22/0.3	1.5	9009.00	10
KWC-26A	36/0.3	2.5	14256.00	10
KWC-27A	56/0.3	4.0	21708.00	5

Packing: Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing.

180 Mts



### HRFR - MULTI STRAND

**HEAT RESISTANT FLAME RETARDANT (HRFR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS**



90 Mts



**HRFR** Heat Resistant Flame Retardant PVC Insulated Industrial Cable

Product Code	Number / Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs	Std. Pkg.
KWC-28	14/0.3	1.0	3375.00	20
KWC-29	22/0.3	1.5	4797.00	16
KWC-30	36/0.3	2.5	7677.00	10
KWC-31	56/0.3	4.0	11754.00	8

Packing: Supplied in Attractive Box Packaging, Securely Packed in a Master Carton.

### ZHFR - MULTI STRAND

**ZERO HALOGEN FLAME RETARDANT (ZHFR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS**



90 Mts



**ZHFR** Zero Halogen Flame Retardant PVC Insulated Industrial Cable

Product Code	Number / Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs	Std. Pkg.
KWC-32	14/0.3	1.0	3834.00	20
KWC-33	22/0.3	1.5	5220.00	16
KWC-34	36/0.3	2.5	8145.00	10
KWC-35	56/0.3	4.0	12303.00	8

Packing: Supplied in Attractive Box Packaging, Securely Packed in a Master Carton.

### VIR (COPPER)

**P.V.C. INSULATED SINGLE CORE UNSHEATHED SOLID / STRANDED COPPER WIRE INDUSTRIAL CABLE VOLTAGE GRADE 1100 VOLTS as per IS:694 TWISTED**



90 Mts



PVC Insulated Single Core Un-Sheathed Solid Stranded Copper Wire

Product Code	Number / Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs	Std. Pkg.
KWC-36	1/.044	1.0 Sq. mm	2961.00	20
KWC-37	3/.032	1.5 Sq. mm	5526.00	16
KWC-38	3/.041	2.5 Sq. mm (Light)	8361.00	12
KWC-39	3/.041	2.5 Sq. mm (Heavy)	8964.00	10
KWC-40	7/.034	4.0 Sq. mm (Light)	11700.00	6
KWC-41	7/.034	4.0 Sq. mm (Heavy)	12033.00	5
KWC-42	7/.041	6.0 Sq. mm (7/18)	17928.00	5
KWC-43	7/.053	10.0 Sq. mm	27513.00	6
KWC-44	7/.067	16.0 Sq. mm (7/16)	38259.00	4
KWC-45	19/.051	25.0 Sq. mm	75132.00	2
KWC-46	19/.060	35.0 Sq. mm	102933.00	1
KWC-47	19/.070	50.0 Sq. mm	150786.00	1
KWC-48	37/.061	70.0 Sq. mm	222390.00	1
KWC-49	37/.071	95.0 Sq. mm	303732.00	1

Packing: Supplied in Attractive Box Packaging / Reusable Woven Bags, Securely Packed in a Master Carton / P.P. Bags.

630 mtrs

KWC-50	3/.041	2.5 Sq. mm (Light)	58590.00	1
KWC-51	3/.041	2.5 Sq. mm (Heavy)	62793.00	1

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.

450 mtrs

KWC-52	7/.034	4.0 Sq. mm (Light)	58500.00	1
KWC-53	7/.034	4.0 Sq. mm (Heavy)	60147.00	1

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.



**CTS COPPER WIRE**

P.V.C. INSULATED SINGLE CORE SHEATHED SOLID / STRANDED COPPER WIRE INDUSTRIAL CABLE VOLTAGE GRADE 1100 VOLTS as per IS:694:1990 TWISTED (CTS)



90 Mts

Product Code	Number / Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹	Std. Pkg.
KWC-54	3/.041	2.5 (CTS)	6021.00	8
KWC-55	7/034	4.0 (CTS)	11259.00	5

Packing: Supplied in Attractive Reusable Woven Bags with secured PP. Bag Packing.

450 mtrs

KWC-56	3/.041	2.5 (CTS)	30096.00	1
KWC-57	7/034	4.0 (CTS)	56295.00	1

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.



CTS Copper Wire


**SUBMERSIBLE FLAT CABLE**

3 CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR PVC INSULATED & SHEATHED INDUSTRIAL CABLE AS PER IS : 694:2010 FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UPTO 1100 VOLTS



Product Code	Number / Dia of Wire in mm	Nominal Area of Cond. in Sq.mm	Price ₹ per mtrs
KWC-58	22/0.3 mm	1.5 Sq.mm	148.50
KWC-59	36/0.3 mm	2.5 Sq.mm	221.40
KWC-60	56/0.3 mm	4.0 Sq.mm	340.20
KWC-61	84/0.3 mm	6.0 Sq.mm	540.00
KWC-62	112/0.3 mm	8.0 Sq.mm	639.00
KWC-62A	140/0.3 mm	10.0 Sq.mm	774.00
KWC-63	101/0.45 mm	16.0 Sq.mm	1215.00
KWC-64	157/0.45 mm	25.0 Sq.mm	1908.00
KWC-64A	220/0.45 mm	35.0 Sq.mm	2718.00

Packing: Supplied in secured PP. Bag Packing.




Submersible 3 Core Flat Cables

**Completely Reliable  
Agricultural  
Submersible Cables**



# Wires formulated for secured operations in every condition



Aluminum Service Wire

## PVC INSULATED SINGLE CORE STRANDED ALUMINIUM CONDUCTOR SHEATHED WEATHER PROOF SERVICE WIRE



90 Mts

Product Code	Number / Dia of Wire in Inches	Number / Dia of Wire in Sq. mm	Price ₹	Std. Pkg.
KWC-65	7/.034	4.0 Sq.mm	2826.00	
KWC-66	7/.041	6.0 Sq.mm	3654.00	
KWC-67	7/.053	10.0 Sq.mm	4959.00	
KWC-68	7/.067	16.0 Sq.mm	8352.00	

Packing: Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing.

450 mtrs



Aluminum Service Wire

KWC-69	7/.034	4.0 Sq.mm	14094.00	
KWC-70	7/.041	6.0 Sq.mm	18297.00	
KWC-71	7/.053	10.0 Sq.mm	24804.00	
KWC-72	7/.067	16.0 Sq.mm	417887.00	

Packing : Supplied in Wooden Drum

450 mtrs

## TWIN ALUMINIUM SERVICE WIRE (BLUE/WHITE)

KWC-137	7/.036	4.5 Sq.mm	47.70	Per Meter
---------	--------	-----------	-------	-----------

Packing: Supplied in secured P.P. Bag Packing.

## CTS ALUMINIUM WIRE



CTS Aluminium Wire

## PVC INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS - CTS



90 Mts

Product Code	Number / Dia of Wire in Inches	Number / Dia of Wire in Sq. mm	Price ₹	Std. Pkg.
KWC-73	7/034	4.0 SQ MM	2007.00	12
KWC-74	7/041	6.0 SQ MM	2682.00	10
KWC-75	7/053	10.0 SQ MM	5580.00	5

Packing: Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing.

## CTS ALUMINIUM WIRE



CTS Aluminium Wire

## PVC INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS (CTS)



450 Mts

KWC-76	7/034	4.0 SQ MM	10035.00	
KWC-77	7/041	6.0 SQ MM	13410.00	
KWC-78	7/053	10.0 SQ MM	27900.00	

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.

**STRANDED ALUMINIUM WIRE**



Stranded Aluminium Wire

**PVC INSULATED SINGLE CORE UNSHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS**

90 Mts

Product Code	Number / Dia of Wire in mm	S.W.G	Price ₹	Std. Pkg.
KWC-79	3/036	3/20	1179.00	20
KWC-80	7/036	7/20	1908.00	16
KWC-81	7/044	7/18	2700.00	12
KWC-82	7/064	7/16	5013.00	5
KWC-83	19/064	19/16	14292.00	2

Packing : Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing.



Stranded Aluminium Wire

450 mtrs

KWC-84	7/036	7/20	9540.00	1
KWC-85	7/044	7/18	13500.00	1
KWC-86	7/064	7/16	25065.00	1

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.



Aluminium Service Wire

**TWIN FLAT CORE STRANDED ALUMINIUM CONDUCTOR INSULATED UNSHEATHED WEATHER PROOF SERVICE WIRE (AVAILABLE IN BLACK & WHITE)**

90 Mts

Product Code	Number / Dia of Wire in inches	Nominal Area of Cond. in Sq.mm	Price ₹
KWC-87	7/036	4.5 Sq.mm	5535.00
KWC-88	7/044	6.0 Sq.mm	7371.00

Packing : Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing.

450 mtrs

KWC-89	7/036	4.5 Sq.mm	27693.00
KWC-90	7/044	6.0 Sq.mm	36864.00

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.

**VIR (COPPER)**



Solid / Stranded Copper Cables

**P.V.C. INSULATED SINGLE CORE SHEATHED SOLID / STRANDED COPPER WIRE VOLTAGE GRADE 1100 VOLTS**

90 Mts

KWC-90A	1/036	1/18	2718.00	2
KWC-91	3/036	3/20 (Light)	5436.00	12
KWC-92	3/036	3/20 (Heavy)	5715.00	10

Packing : Supplied in Attractive Reusable Woven Bags with secured P.P. Bag Packing.




Solid / Stranded Copper Cables

630 mtrs

KWC-93	3/036	3/20 (Light)	38070.00	1
KWC-94A	3/036	3/20 (Heavy)	40005.00	1

Packing : Packed in a convenient **MULTI USE BUCKET**. Securely Packed in a Master Carton.



### SPEAKER WIRE

PVC INSULATED TWIN FLAT / TWIN PARALLEL FLEXIBLE COPPER WIRE			
Product Code	Number / Dia of Wire in Inches	Price ₹	Std. Pkg.
KWC-95	14/0060-Twin Flat	2385.00	20
KWC-96	23/0060 Twin Flat	2754.00	20
KWC-97	23/0060 Twin Parallel	2655.00	20

90 Mts

### SPEAKER WIRE

KWC-141	14/0060 Twin Parallel(Crystal TCBC)	1926.00	20
KWC-142	23/0060 Twin Parallel(Crystal TCBC)	2880.00	20



Twin Flat Copper Wire



Networking LAN Cable

LAN (COMPUTER) NETWORKING UNSHIELDED TWISTED PAIR (UTP) CABLES			
Product Code	Description	Price ₹	Pkg.
KWC-100	CAT 5e	24588.00	2
KWC-101	CAT 6	31410.00	2

90 Mts

Packing : Supplied in 305 Mtrs in Box Packing



CCTV Cables

CLOSE CIRCUIT TELEVISION (CCTV) ROUND CABLES			
KWC-102	3 + 1	11862.00	
KWC-103	4 + 1	13842.00	

100 Mts



Telephone (Switch Board) Cables

- No cross talk
- Voice clarity
- Zero noise level
- Fire retardant jacket
- Low attenuation
- High speed transmission

TELEPHONE (SWITCH BOARD) INDUSTRIAL CABLES GENERALLY CONFORMING TO AS PER ITD SPECIFICATION S/WS-0113B,113C & 114B AND DOT SPECIFICATION GR/WIR-06/03 MAR - 02 AND INTERNATIONAL SPECIFICATION				
Product Code	Number of Pairs	Number / Dia of Cond.(0.4mm) Price ₹ Per 90 Mts	Number / Dia of Cond.(0.5mm) Price ₹ Per 90 Mts	Std. Pkg.
KWC-104	1 Pair	2016.00	2619.00	20
KWC-105	2 Pair	3159.00	4212.00	20
KWC-106	3 Pair	4491.00	6210.00	12
KWC-107	4 Pair	5742.00	8127.00	5
KWC-108	5 Pair	6804.00	9954.00	3

90 Mts

Note : 6 To 100 Pair Rs.540/- Each Pair 100 Mtrs Taped With Tined Copper F.R. P.V.C.


HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS			
KWC-126	28/0.3	2.0	5589.00

90 Mts

**FLEXIBLE COPPER WIRE**

**PVC INSULATED TWISTED FLEXIBLE COPPER WIRE**

90 Mts



Flexible Copper Wire

Product Code	Number / Dia of Wire in Inches	Price ₹	Std. Pkg.
KWC-109	14/0052	1539.00	24
KWC-110	14/0052-Heavy	1809.00	20
KWC-111	14/0060	1998.00	24
KWC-112	14/0076	2898.00	20
KWC-113	14/0076-Single	1242.00	50
KWC-114	23/0052	2268.00	20
KWC-115	23/0060	2961.00	20
KWC-116	23/0076	4491.00	16
KWC-117	40/0052	4185.00	12
KWC-118	40/0060	5112.00	12
KWC-119	40/0076	7749.00	12

**CO-AXIAL CABLES WITH ELECTROLYTIC GRADE SOLID BARE COPPER CONDUCTOR GAS INJECTED PHYSICAL FOAM JELLY FLOODED CABLES**



Co-Axial Cables

Product Code	Size	Price ₹	
		100 mtrs	305 mtrs
KWC-120	RG-59	CCU 5742.00	17523.00
KWC-121	RG-59	CCS 3933.00	12051.00
KWC-122	RG-6	CCS 4752.00	14526.00
KWC-123	RG-6	CCU 7308.00	22311.00
KWC-124	RG-11	CC 19224.00	58608.00
KWC-125	RG-11	CCS 15678.00	47853.00

Packing : Supplied in 100 mtrs & 305 Mtrs. in attractive cotton & **Wooden Drum**  
 longer length available request.

**CTS COPPER WIRE**

**P.V.C. INSULATED SINGLE CORE SHEATHED SOLID / STRANDED COPPER WIRE INDUSTRIAL CABLE VOLTAGE GRADE 1100 VOLTS as per IS:694:1990 TWISTED (CTS)**

90 Mts /630 Mts



CTS Copper Wire

KWC-127	3/036	3/20	5742.00	8
KWC-127B (630)	3/036	3/20	40194.00	1

**ULTRA FLEXIBLE FLAME RETARDANT (UFFR) MULTI STRAND SINGLE CORE UNSHEATHED INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS**



90 Mts

KWC-128	32/0.2	1.0	2754.00	20
KWC-129	30/0.25	1.5	3915.00	16
KWC-130	50/0.25	2.5	6543.00	10
KWC-131	56/0.3	4.0	9702.00	8

**PVC / XLPE INSULATED SHEATHED SOLID / STRANDED COPPER WIRE VOLTAGE GRADE 1100 VOLTS AS PER IS:694:1990 TWISTED INDL. CABLE (CTS).**



90 / 450 Mts



UFFR - ULTRA FLEXIBLE FLAME RETARDANT INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES (MULTISTRAND)

KWC-132	3 / .041	2.5 (CTS) 90Mts	6984.00	8
KWC-133	7 / .034	4.0 (CTS) 90Mts	13464.00	5
KWC-134	7 / .041	6.0 (CTS) 90Mts	15786.00	4
KWC-135	3 / .041	2.5 (CTS) 450Mts	34830.00	1
KWC-136	7 / .034	4.0 (CTS) 450Mts	67311.00	1

# MULTICORE

Multicore Round Flexible Cables

- Bright Annealed 99.9% pure bare copper
- Special grade PVC Compound
- Outer PVC Jacket protects it from the Oil, Grease, Various Chemicals.



**PVC INSULATED & PVC ROUND SHEATHED MULTI CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE INDUSTRIAL CABLES FOR VOLTAGE GRADE UPTO 1100 VOLTS AS PER IS 694 (2010) - 100 Mts**



MM	Size	1 Core	2 Core	3 Core	4 Core	5 Core
0.50	16/0.20	1638.00	4986.00	6534.00	8370.00	11412.00
0.75	24/0.20	2142.00	6534.00	9081.00	12159.00	15273.00
1.00	32/0.20	2835.00	8604.00	11781.00	14436.00	19359.00
1.50	22/0.30 (30/0.25)	4284.00	11070.00	15165.00	20745.00	26667.00
2.50	36/0.30 (50/0.25)	7155.00	17766.00	24489.00	32616.00	40509.00
4.00	56/0.30 (80/0.25)	11043.00	27837.00	39564.00	52614.00	61272.00
6.00	84/0.30	-----	39420.00	55854.00	71559.00	94248.00
10.00	140/0.30	29637.00	63855.00	97317.00	127602.00	161055.00
16.00	101/0.20	47430.00	104616.00	143370.00	193293.00	243153.00
25.00	157/0.45	68391.00	157239.00	228339.00	287820.00	356184.00
35.00	220/0.45	91170.00	220293.00	315126.00	400860.00	510417.00
50.00	314/0.45	136719.00	-----	457803.00	581031.00	-----
70.00	354/0.50	196011.00	-----	622071.00	818037.00	-----
95.00	484/0.50	271170.00	-----	878643.00	1170990.00	-----
120.00	614/0.50	334251.00	-----	1105182.00	1407960.00	-----
150.00	750/0.50	420885.00	-----	-----	-----	-----
185.00	925/0.50	523665.00	-----	-----	-----	-----
240.00	1221/0.50	683586.00	-----	-----	-----	-----
300.00	1521/0.20	839664.00	-----	-----	-----	-----
400.00	2036/0.20	1115892.00	-----	-----	-----	-----

Packing : Supplied in **100 Mts in Woven Bag**. Longer Length available on request.



**Courage makes change and innovation possible.**

Having the courage to do what is right is more critical today than ever. Courage is vital to challenge conventional thinking and envision new possibilities. Very often, the right decisions are the hardest ones to make. Our desire at KRAFT is to create innovative quality products with highest safety standards for our consumers to enhance their lifestyles by every passing day. Wide acceptance across the nation & numerous certifications and approvals justify our philosophy.

INTERNATIONALLY APPROVED







### Certificate of Registration

This is to Certify That  
**Occupational Health & Safety Management System of**

**SANKESHWARA INDUSTRIES**

102 BLOCK-A KNOWN AS A-102, 3RD FLOOR, JHILMI INDUSTRIAL AREA, NEW DELHI, SHAHADRA, DELHI-110095, INDIA

has been assessed and found to conform to the requirements of  
**ISO 45001:2018**  
for the following scope:

**MANUFACTURING AND SUPPLY OF P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS.**

Certificate No: 23MEOPG22  
Initial Registration Date: 12/12/2023 Issuance Date: 12/12/2023  
Date of Expiry: 11/12/2026  
1st Surve. Due: 12/11/2024 2nd Surve. Due: 12/11/2025

**ISO 45001:2018**

### Certificate of Compliance

We hereby declare that the technical file of product complied with the requirement of the  
EN61188(EU) for Electromagnetic Compatibility (EMC)

**Otabu**

**Certificate of Compliance**

Name: **SANKESHWARA INDUSTRIES**  
Address: **A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI, 110095, INDIA.**  
Product: **P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS**

Date of Registration: 08 November 2022  
1st Surveillance Due: 07 November 2024  
2nd Surveillance Due: 07 November 2024  
Certificate Expiry: subject to the company maintaining its system to the required standard: 07 November 2025

Certificate No- 221108602  
To Verify this certificate please visit at [www.otabucert.co.uk](http://www.otabucert.co.uk)

### Certificate of Compliance

This is to certify that

**SANKESHWARA INDUSTRIES**

A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI, 110095, INDIA

has been assessed and found working satisfactorily as per the norms of  
"Good Manufacturing Practice"

**Good Manufacturing Practice (GMP) System**

For the following scope of activities:  
**MANUFACTURING AND SUPPLY OF P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS.**

Date of Registration: 08 November 2022  
1st Surveillance Due: 07 November 2024  
2nd Surveillance Due: 07 November 2024  
Certificate Expiry: subject to the company maintaining its system to the required standard: 07 November 2025

Certificate No- 221108601  
To Verify this certificate please visit at [www.otabucert.co.uk](http://www.otabucert.co.uk)

ISO 45001:2018  
(International Standards Organization)

CE (European Certificate)

Good Manufacturing Practice (GMP) System

Mr. S.V. Sekar, B.E.  
Chief Engineer (TNPHC)

**TAMIL NADU POLICE HOUSING CORPORATION LTD.**  
(A Government of Tamil Nadu Undertaking)  
ISO 9001:2015 Certified Company  
132, 133 & 134, Sakinaka, Koyambakkam - 600 010.  
Email: [oidh@tnphc.com](mailto:oidh@tnphc.com)  
Phone: 9445 2864541, 2864542, 2864543, 2864544

Lr.No. CE/DB/33-12024 Date: 22.07.2025

Sub: TNPHC - Brand - M/s. Sankeshwara Industries  
"P-Kraft" Brand Product - Approval - Intimation - Reg.

Ref:- (1) Your requisition Lr. No. NI. DE. 11.12.2024  
(2) Receipt of brand registration fee Dt. 11.07.2025

Your attention is invited to the above references cited and it is informed that based on the credentials furnished by you, the "P-Kraft" Brand product of Polyvinyl Chloride insulated Unsheathed and Sheathed Cables / Cords with Rigid and Flexible Conductor for rated Voltages up to and including 1100 V - IS 694 - 2010 (CML- 8500002806) have been approved to use in TNPHC Ltd projects and this certificate is valid for three years.

Further, it is informed to you that you are requested to produce necessary test certificates along with each and every consignment. Also you are requested to produce TFC & GST for three years upto this office without fail.

Senior Drafting Officer

**CENTRAL ELECTRICAL TESTING LABORATORY**  
INDIAN TEST HOUSE FOR ELECTRICAL TESTING  
PUNJAB, INDIA

**CETL TEST REPORT**

TEST REPORT NO. 14/2025  
DATE OF TEST: 14 AUG 2025

TESTED BY: SANKESHWARA INDUSTRIES  
ADDRESS: A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI-110095

TESTED ON: P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS

TESTED BY: SANKESHWARA INDUSTRIES  
ADDRESS: A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI-110095

TESTED ON: P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS

TESTED BY: SANKESHWARA INDUSTRIES  
ADDRESS: A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI-110095

TESTED ON: P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS

**NATIONAL TEST HOUSE (GSI)**  
NATIONAL TEST HOUSE (GSI)  
SUITE 48, 88-90 HATTON GARDEN, LONDON, EC1N 8PN, UK

**TEST REPORT**

TEST REPORT NO. 22/2025  
DATE OF TEST: 22/07/2025

TESTED BY: SANKESHWARA INDUSTRIES  
ADDRESS: A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI-110095

TESTED ON: P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS

TESTED BY: SANKESHWARA INDUSTRIES  
ADDRESS: A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI-110095

TESTED ON: P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS

**CIMEC TECHNOLOGIES PRIVATE LIMITED**  
CIMEC TECHNOLOGIES PRIVATE LIMITED  
SUITE 48, 88-90 HATTON GARDEN, LONDON, EC1N 8PN, UK

**TEST REPORT**

TEST REPORT NO. 22/2025  
DATE OF TEST: 22/07/2025

TESTED BY: SANKESHWARA INDUSTRIES  
ADDRESS: A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI-110095

TESTED ON: P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS

TESTED BY: SANKESHWARA INDUSTRIES  
ADDRESS: A-102, 3RD FLOOR (2ND BUILDING) JHILMI INDUSTRIAL AREA, DELHI-110095

TESTED ON: P-KRAFT WIRES & CABLES, SWITCHGEAR & FUSE UNITS, MCB, DISTRIBUTION BOARDS & LED LIGHTING SOLUTIONS

TNPHC (Tamilnadu Police Housing Corporation)

CETL (Central Electrical Testing Laboratory)

NTH (National Test House)

CIMEC



**LP 102** Date of Issue : 28th Jan, 2026

## Wires & Cables Switch Gears LED Lighting Solutions

Mfg. By: **SANKESHWARA INDUSTRIES**, #A-10/2, Jhilmil Industrial Area,  
Delhi - 110 095 | Help Line : +91 904 336 3366 | E-mail: info@kraftcable.in

Tej Galaxy



### Terms & Conditions

This price list cancels all our previous price list | Technical data and illustrations are preliminary | The Company reserves the rights to changes any of the above product specifications or prices without any prior notice | Information given herein is in good faith. Sankeshwara Industries shall not be liable for any damages arising out of incorrect use | Upto 25% may be deductible on return of packed / unused goods | Applicable GST or any other levies will be charge extra | Imitation of graphics is a punishable offence | Any dispute are subject to Delhi jurisdiction only | Prices for products not mentioned in the price list are available on request | Company reserves the right to issue amendments to rectify any error in this price list.